


## NANI-Dockshelter Model K-TAD



The NANI dockseal model K-TAD gives protection to personnel and goods when loading / unloading during inclement weather at the dock.

It will also prevent heat loss or if required, as in cold storage situations heat ingress. Prevention of ingress of insects particularly where foodstuffs are stored is also a factor of the K-TAD.

The side and top cushions are made up of flame retardent foam covered with PVC.

The front face of each cushion is covered with 3 mm thick PVC for added strength and abrasion resistance.

The side cushion has a yellow vertical guide stripe as standard.

Changes to specification maybe made without prior notification.


T27-9604-E



**...for optimal loading**

Nani Verladetechnik GmbH & Co. KG  
Siegerslebener Str. 12, D-39365 Eilsleben  
Tel: (039 409) 914 0, Fax: (039 409) 345

NANI-Dockshelter Model K-TAD. Installation Drawing



T25-2603-E




**Nani**  
VERLADETECHNIK

**...for optimal loading**

Nani Verladetechnik GmbH & Co. KG  
Siegelslebener Str. 12, D-39365 Eilsleben  
Tel: (039 409) 914 0, Fax: (039 409) 345

## NANI-Dockshelter Model VK-TAD



The NANI dockseal model VK-TAD gives full protection from outside elements to both personal and goods.

VK-TAD, has the appearance and quality of model K-TAD, but with the added facility of vertical movement.

This vertical movement of 100 mm in the upward or downward direction allows all 3 parts of the seal to move with the vehicle during loading / unloading procedures.

This action greatly reduces the wear on the face of the seals and reduces the pull and drag effect when in contact with the vehicle.

The floating motion of the seal reduces the chance of damage to fixing points on the wall of the building and the abrasion from vehicles.

Changes to specification maybe made without prior notification.


T28-9604-E



**...for optimal loading**

Nani Verladetechnik GmbH & Co. KG  
Siegerslebener Str. 12, D-39365 Eilsleben  
Tel: (039 409) 914 0, Fax: (039 409) 345

NANI-Dockshelter Model VK-TAD. Installation Drawing



T26-2604-E



**Nani**  
VERLADETECHNIK

**...for optimal loading**

Nani Verladetechnik GmbH & Co. KG  
Siegerslebener Str. 12, D-39365 Eilsleben  
Tel: (039 409) 914 0, Fax: (039 409) 345